

SPECIFICATION SHEET

5 7/8" OD, 26.30 LBS/FT, XT57, (0.415" WALL) 7.000" X 4.250" TJ, S-135 DRILL PIPE

PIPE SPECIFICATION	NEW	PREMIUM 80% REMAINING BODY WALL
PIPE OD	5.875"	<p>Note 1: The operating limits of the drill pipe should be based on the Premium pipe data detailed below.</p> <p>Any technical queries should be directed to Premier's Engineering Department.</p>
NOMINAL WEIGHT (PIPE TUBE)	26.30 LBS/FT	
AVERAGE WEIGHT (TUBE & TJ)	931 LBS	
AVERAGE LENGTH	31.50 FT	
ADJUSTED WEIGHT	29.55 LBS/FT	
NOMINAL WALL THICKNESS	0.415"	
AVERAGE INSIDE DIAMETER	5.045"	
TYPE OF UPSET	IEU	
GRADE	S-135	
INTERNAL PLASTIC COATING	TK 34 XT	
PIPE CAPACITIES	NEW	PREMIUM 80% REMAINING BODY WALL
PIPE TENSILE YIELD	961,000 LBS	757,100 LBS
PIPE TORSIONAL YIELD	117,900 FT-LBS	92,500 FT-LBS
PIPE COLLAPSE RESISTANCE	14,892 PSI	9,368 PSI
PIPE BURST RESISTANCE	16,688 PSI	15,258 PSI
TOOL JOINT SPECIFICATION		
CONNECTION	XT57	<p>Note 2: Make up torque should always be higher than anticipated drilling torque – up to a maximum of 56,600 ft/lbs.</p>
PIN / BOX OD	7.000"	
PIN / BOX ID	4.250"	
HARDBANDING	TCS TITANIUM	
TOOL JOINT TENSILE YIELD	1,208,700 LBS	
TOOL JOINT TORSIONAL YIELD	94,300 FT-LBS	
PIN / BOX LENGTH	12" / 17"	
MAKE UP TORQUE (MINIMUM)	33,800 FT-LBS	
MAKE UP TORQUE (MAXIMUM)	56,600 FT-LBS	
FLUID DISPLACEMENT	0.455 GAL/FT	
FLUID CAPACITY	1.014 GAL/FT	
DRIFT SIZE	4.125"	

The information on this specification sheet is provided for illustration purposes only and has been extracted from information available from the manufacturer and other public domain sources. Premier Oilfield Rentals Ltd accepts no responsibility or liability to any party for the accuracy of the technical information provided or for any error, omission or misstatement. The reader is fully expected to make independent enquiry and to rely on their own skill and judgement in evaluating whether any particular equipment is suitable.

Originator: Doug Farquhar	Date: 27/03/08	Approved by: Colin Cooper	Date: 02/04/08	Approved by: Rob O'Neill	Date: 11/04/08
------------------------------	-------------------	------------------------------	-------------------	-----------------------------	-------------------